

**TEST & EVALUATION REPORT**  
Crack Sealer Evaluation, Select Properties

October 4, 2023

**Report For:** Example Client  
Address Line 1  
Address Line 2**Attn:** Client Name **Email:** [Client@example.com](mailto:Client@example.com)**Sample Data / Information:**

SAMPLE TYPE	SAMPLE ID	LOT#	DATE RECEIVED	PRI PROJECT #
Crack Sealer	Sample 1	1	XX/XX/XXXX	XXX-XX-XX-XX

**OBJECTIVE:** Evaluate received crack sealers for select physical properties.**DATA / RESULTS:**

PROPERTIES		ASTM TEST METHODS	RESULTS, SAMPLE ID	
			Sample	
<b>Crack Sealer As-Received</b>				
Cone Penetration, dmm	25°C	D217		TBD
Softening Point, °C		D36		TBD
Resilience, %	25°C	D5329-10		TBD
Asphalt Compatibility		D5329-12		TBD
Bond Non-Immersed, (3 Cycles, 100% Extension)	-7°C	D3405		TBD
Flexibility	-23°C	D5329-15		TBD
Flow	60°C	D5329-7		TBD
Penetration (200g, 60sec), dmm	-18°C	D5		TBD
Tensile Adhesion	Failure Type	D5329-14		TBD
	Elongation, %			TBD
Ductility, cm	25°C	D113		TBD
	35°C			TBD
	45°C			TBD

**DISCUSSION:** See Table above for results.

Tested by:

  
 Elsa Rodriguez, Pavement Preservation Technician
Date: October 4, 2023

Reported by:

  
 Steven Loeffler, Client Services Manager
Date: October 4, 2023

xxx-xx-xx-xx

PRI Accreditation: AASHTO re:source; IAS-ES; ISO/IEC 17025:2017; CMEC; USACE

The test results, opinions, or interpretations are based on the material supplied by the client. This report is for the exclusive use of stated client. No reproduction or facsimile in any form can be made without the client's permission. PRI Asphalt Technologies, Inc. assumes no responsibility nor makes a performance or warranty statement for this material or products and processes containing this material in connection with this report. Not all tests listed may be covered by AMRL and/or AAP accreditations.